

JACKSON COUNTY, OHIO
 GEODETIC CONTROL SURVEY

W.O. 96017

MAP PROJECTION: LAMBERT

ORDER OF SURVEY: FIRST


NAD 83/86 * OHIO STATE PLANE COORDINATE SYSTEM * SOUTH ZONE

COUNTY		NAME OF STATION		YEAR
JACKSON COUNTY		16 FRANKLIN		1996
N: 351001.550	E: 1939173.367	LAT.: 38°57'49.21364"	LONG.: 82°36'11.29971"	
GRID FACTOR: 0.99996270	SEA LEVEL FACTOR: 0.99996464	⊕ ANGLE: -0°03'55.60"		
ESTABLISHED BY: GeoMetrics GPS, INC.	YEAR 1996	DISTANCES AND DIRECTIONS TO REFERENCE MARKS AND PROMINENT OBJECTS OBSERVED AT STATION		
		OBJECT	DISTANCE-FT.	MAG. AZIMUTH
VERTICAL DATUM NAVD 88		(SEE SKETCH BELOW)		
ELEVATION (FT.) 739.32				
VERTICAL ORDER: THIRD				

DESCRIPTION OF STATION:

The station is a standard Jackson County, Ohio aluminum survey disk stamped FRANKLIN 16 1996 set flush with the ground in the top of a reinforced poured-in-place concrete monument located in Jackson County, Ohio about 7.0 miles southeast of the town of Jackson. To reach the station from the intersection of Route 32 and Route 93 in Jackson proceed south along Route 93 a distance of 5.8 miles to its intersection with Route 15, Camba Road. Turn left and proceed west along Camba Road a distance of 1.5 miles to its intersection with Route 13, Franklin Valley Road. Turn left and proceed south along Franklin Valley Road a distance of 0.1 miles to its intersection with the south entrance to the Franklin Elementary School. Turn right and proceed west behind the school for a distance of 0.05 miles to the station on the left.

SKETCH OF STATION:
 APPROX. SCALE: 1" = 30'



THIS SURVEY DATA PREPARED
 USING 1 meter = 3.280833 feet

PREPARED BY: EJP	7/96
CHECKED BY: DAR	7/96

GEOMETRICS
 OPS, INC.

355 BUTLER ROAD
 FREDERICKSBURG, VIRGINIA
 (540) 372-3499